Volume 320 1997

Contents

Letters to the Editor

Warm molecular envelope of M giants and Miras: a new molecule forming region unmasked by the ISO SWS
Tsuji T., Ohnaka K., Aoki W., Yamamura I. L1

Detection of γ-rays above 1.5 TeV from Mkn 501
Bradbury S.M., Deckers T., Petry D., Konopelko A., Aharonian F., Akhperjanian A.G., Barrio J.A., Beglarian A.S., Beteta J.J.G., Contreras J.L., Cortina J., Daum A., Feigl E., Fernandez J., Fonseca V., Fraß A., Funk B., Gonzalez J.C., Haustein V., Heinzelmann G., Hemberger M., Hermann G., Hess M., Heusler A., Holl I., Hofmann W., Horns D., Kankanian R., Kirstein O., Köhler C., Kranich D., Krawczynski H., Kornmayer H., Lampeitl H., Lindner A., Lorenz E., Magnussen N., Meyer H., Mirzoyan R., Möller H., Moralejo A., Padilla L., Panter M., Plaga R., Prahl J., Prosch C., Pühlhofer G., Rauterberg G., Rhode W., Sahakian V., Samorski M., Sanchez J.A., Schmele D., Stamm W., Ulrich M., Völk H.J., Westerhoff S., Wiebel-Sooth B., Wiedner C.A., Willmer M., Wirth H. L5

Torque-luminosity correlation and possible evidence for core-crust relaxation in the X-ray pulsar GX 1+4
Paul B., Rao A.R., Singh K.P. L9

Erratum (Letter): Magnetic fields in hot subdwarfs
Elkin V.G. 681

Return current effects on hard X-ray and microwave emission produced by electron beams in solar flares
Zharkova V.V., Syniavskii D.V. L13

Millimeter interferometry towards the ultra-compact HII region W3 (OH)
Wyrowski F., Hofner P., Schilke P., Walmsley C.M., Wilner D.J., Wink J.E. L17

The shape of galaxy disks: how the scale height increases with galactocentric distance
de Grijs R., Peletier R.F. L21

Evidence of X-ray periodicity in LSI +61° 303
Paredes J.M., Martí J., Peracaula M., Ribó M. L25

β Pictoris revisited by Hipparcos. Star properties
Crifo F., Vidal-Madjar A., Lallement R., Ferlet R., Gerbaldi M. L29

SXR Coronal Flashes
Koutchmy S., Hara H., Suematsu Y., Reardon K. L33

Rapid X-ray variability of the superluminal source GRS 1915+105
Paul B., Agrawal P.C., Rao A.R., Vahia M.N., Yadav J.S., Marar T.M.K., Seetha S., Kasturirangan K. L37

Variability and a vanishing YSO in the Serpens cloud core
Horrobin M.J., Casali M.M., Eiroa C. L41

A model for the binary pulsar radio eclipse
Khechinashvili D.G., Melikidze G.I. L45

The surface composition of Beta Pictoris
Holweger H., Hempel M., van Thiel T., Kaufer A. L49

Plasma heating in the solar corona by reconnecting current sheet
Oreshina A.V., Somov B.V. L53

Metals in the variable DA G29–38
Koester D., Provencal J., Shipman H.L. L57

Cosmology

Averaging inhomogeneous Newtonian cosmologies
Buchert Th., Ehlers J. 1

Very close pairs of quasi-stellar objects
Burbidge G., Hoyle F., Schneider P. 8

X-ray galaxy clusters: constraints on models of galaxy formation
Oukbir J., Bartlett J.G., Blanchard A. 365

Search for correlations between COBE DMR and ROSAT PSPC all-sky survey data
Kneissl R., Egger R., Hasinger G., Soltan A.M., Trümper J. 685

Extragalactic astronomy

The morphology-density relationship for clusters of galaxies revisited
Herrera B., Sanromà M. 13

Variability in the synchrotron self-Compton model of blazar emission
Mastichiadis A., Kirk J.G. 19

Two-fluid model for VLBI jets. I. Homogeneous and stationary synchrotron emission simulations
Despringre V., Fraix-Burnet D. 26

On the correlation between radio and gamma ray luminosities of active galactic nuclei
Mücke A., Pohl M., Reich P., Reich W., Schlickeiser R., Fichtel C.E., Hartmann R.C., Kanbach G., Kniffen D.A., Mayer-Hasselwander H.A., Merck M., Michelson P.F., von Montigny C., Willis T.D. 33

Origin of the colour-magnitude relation of elliptical galaxies
Kodama T., Arimoto N. 41

A new approach to the radio – far infrared correlation for non-calorimeter galaxies
Niklas S., Beck R. 54

ROSAT observations of the galactic wind in M 82
Strickland D.K., Ponman T.J., Stevens I.R. 378

Spectroscopy of narrow emission line X-ray galaxies
Wisotzki L., Bade N. 395

Positioning the near-infrared versus optical emission peaks in NGC 1068 with adaptive optics
Marco O., Alloin D., Beuzit J.L. 399

[O III] λ 5007 wing variations and changes of Fe II optical multiplets in NGC 5548
Sergeev S.G., Pronik V.I., Malkov Yu.F., Chuvaev K.K. 405

The relation between the virial theorem and the fundamental plane of elliptical galaxies
Busarello G., Capaccioli M., Capozziello S., Longo G., Puddu E. 415

PKS 2351–154: a high-redshift quasar with variable X-ray absorption
Schartel N., Komossa S., Brinkmann W., Fink H.H., Trümper J., Wamsteker W. 421

The Piccinotti AGN sample observed in the ROSAT All-Sky Survey
Schartel N., Schmidt M., Fink H.H., Hasinger G., Trümper J. 696

The large scale structure of the soft X-ray background. II. Galaxies
Soltan A.M., Hasinger G., Egger R., Snowden S., Trümper J. 705

Evolution and dynamics of poor clusters of galaxies
Lima Neto G.B., Baier F.W. 717

Evidence for a New "Superwind" Galaxy – NGC 4666
Dahlem M., Petr M.G., Lehnert M.D., Heckmann T.M., Ehle M. 731

Galactic structure and dynamics

Chaos, complexity, and short time Lyapunov exponents: two alternative characterisations of chaotic orbit segments
Kandrup H.E., Eckstein B.L., Bradley B.O. 65

The evolution of the Milky Way disc. I. Vertical structure and local constraints
Haywood M., Robin A.C., Crézé M. 428

The evolution of the Milky Way disc. II. Constraints from star counts at the galactic poles
Haywood M., Robin A.C., Crézé M. 440

Dissipation of magnetic fields in the Galactic halo
Zimmer F., Lesch H., Birk G.T. 746

Stellar clusters and associations

(RN) Investigation of the Pleiades cluster. III. Additional corona members
Mermilliod J.-C., Bratschi P., Mayor M. 74

The stellar population of the globular cluster M 3. II. CCD photometry of additional 10,000 stars
Ferraro F.R., Carretta E., Corsi C.E., Fusi Pecci F., Cacciari C., Buonanno R., Paltrinieri B., Hamilton D. 757

Tidal radii of the globular clusters M 5, M 12, M 13, M 15, M 53, NGC 5053 and NGC 5466 from automated star counts
Lehmann I., Scholz R.-D. 776

Formation, structure and evolution of stars

Mass-luminosity relation of low mass stars
Malkov O.Yu., Piskunov A.E., Shpil'kina D.A. 79

Spectral analyses of central stars of planetary nebulae of early WC-type. NGC 6751 and Sanduleak 3
Koesterke L., Hamann W.-R. 91

Hα emission in the chromospherically active binary σ_2 Coronae Borealis (TZ CrB)
Frasca A., Catalano S., Mantovani D. 101

The early-type binary KX Velorum
Mayer P., Lorenz R., Drechsel H. 109

Could intermediate-mass AGB stars produce star-to-star abundance variations in globular-cluster red giants?
Denissenkov P.A., Weiss A., Wagenhuber J. 115

Variable central stars of young planetary nebulae. I. Photometric multisite observations of IC 418
Handler G., Méndez R.H., Medupe R., Costero R., Birch P.V., Alvarez M., Sullivan D.J., Kurtz D.W., Herrero A., Guerrero M.A., Ciardullo R., Breger M. 125

Modelling Population II cataclysmic variables
Stehle R., Kolb U., Ritter H. 136

ASCA and EUVE observations of II Pegasi: flaring and quiescent coronal emission
Mewe R., Kaastra J.S., van den Oord G.H.J., Vink J., Tawara Y. 147

A search for clustering around Herbig Ae/Be stars
Testi L., Palla F., Prusti T., Natta A., Maltagliati S. 159

Two new T Tauri stars and a candidate FU Orionis star associated with Bok globules
Yun J.L., Moreira M.C., Alves J.F., Storm J. 167

The magnetic field and helium variation of the helium-strong star HD 184927
Wade G.A., Bohlender D.A., Brown D.N., Elkin V.G., Landstreet J.D., Romanyuk I.I. 172

(RN) Analytical fits to theoretical spectra of X-ray burst sources: a hint on the surface gravity
Madej J. 177

On the mass of the white dwarf in UZ Fornacis
Schwope A.D., Mengel S., Beuermann K. 181

The T Tauri star population in the Lupus star forming region
Wichmann R., Krautter J., Covino E., Alcalá J.M., Neuhäuser R., Schmitt J.H.M.M. 185

Radiation driven wind models for A, F and G supergiants
Achmad L., Lamers H.J.G.L.M., Pasquini L. 196

Dynamics and gravitational wave signature of axisymmetric rotational core collapse
Zwerger T., Müller E. 209

Fundamental parameters of Cepheids. IV. Radii and luminosities
Bersier D., Burki G., Kurucz R.L. 228

Contribution of Wolf–Rayet stars to the synthesis of ^{26}Al. I. The γ-ray connection
Meynet G., Arnould M., Prantzos N., Paulus G. 460

An accretion column with a central hole in DQ Herculis binaries
Canalle J.B.G., Opher R. 469

Dynamics and evolutionary status of the young triple stellar system, TY Coronae Austinae
Beust H., Corporon P., Siess L., Forestini M., Lagrange A.-M. 478

(RN) Variations of the Ap star HD 208217
Manfroid J., Mathys G. 497

Is RX J1856.5–3754 an old neutron star?
Campana S., Mereghetti S., Sidoli L. 783

The energy balance in contact binaries
Kähler H. 787

A spectroscopic study of the binary star γ Geminorum
Scholz G., Lehmann H., Harmanec P., Gerth E., Hildebrandt G. 791

An improved calibration of Cepheid visual and infrared surface brightness relations from accurate angular diameter measurements of cool giants and supergiants
Fouqué P., Gieren W.P. 799

A further look into the pulsating PG 1159 stars
Gautschy A. 811

The distance scale to globular clusters through new horizontal branch models
Caloi V., D'Antona F., Mazzitelli I. 823

ROSAT and AB Doradus: the first five years
Kürster M., Schmitt J.H.M.M., Cutispoto G., Dennerl K. 831

ROSAT observations of A 0538–66 during quiescence
Campana S. 840

The Hα behavior in bright giant stars
Lèbre A., De Medeiros J.R. 845

Line formation in Be star envelopes. II. Disk oscillations
Hummel W., Hanuschik R.W. 852

Coronal properties of nearby old disk and Halo dM stars
Micela G., Pye J., Sciortino S. 865

Stellar atmospheres

Implication of light metals (Li-Ca) on NLTE model atmospheres of compact hot stars
Rauch T. 237

Superwind in evolved OH/IR stars
Delfosse X., Kahane C., Forveille T. 249

The importance of a correct abundance assumption in determining the effective temperature and gravity of stars. A spectroscopic study of the helium weak stars HD 5737, HD 175362 and HD 202671
Leone F., Manfrè M. 257

Resonance line polarization in the presence of wave motion
Rangarajan K.E. 265

Long-term spectroscopic monitoring of Ba-type supergiants. III. Variability of photospheric lines
Kaufer A., Stahl O., Wolf B., Fullerton A.W., Gäng Th., Gummersbach C.A., Jankovics I., Kovács J., Mandel H., Peitz J., Rivinius Th., Szeifert Th. 273

Fundamental parameters of Wolf–Rayet stars. VI. Large Magellanic Cloud WNL stars
Crowther P.A., Smith L.J. 500

ROSAT coronal temperatures of young late type stars
Preibisch Th. 525

The mass and temperature distribution in the protoplanetary nebula M 1–92: ^{13}CO interferometric observations
Bujarrabal V., Alcolea J., Neri R., Grewing M. 540

MgO dust nucleation in M-Stars: calculation of cluster properties and nucleation rates
Köhler T.M., Gail H.-P., Sedlmayr E. 553

The bipolar structure of the LBV nebula around HR Carinae
Weis K., Duschl W.J., Bomans D.J., Chu Y.-H., Joner M.D. 568

CS chemistry in the bipolar nebula CRL 2688
Kasuga T., Yamamura I., Deguchi S. 575

Elemental abundances in the Hg–Mn star γ Corvi
Frémat Y., Houziaux L. 580

Discovery of two short-period eclipsing binaries with active components
Cutispoto G., Kürster M., Messina S., Rodonò M., Tagliaferri G. 586

Spectroscopic analysis of early-type stars in young stellar groups. I. Differential analysis of the B1V stars in NGC 2244
Vrancken M., Hensberge H., David M., Verschueren W. 878

Behaviour of the He I 587.6, 667.8, 706.5 and 728.1 nm lines in B-type stars. On the helium stratification in the atmosphere of magnetic helium peculiar stars
Leone F., Lanzafame A.C. 893

The X-ray emission from shock cooling zones in O star winds
Feldmeier A., Kudritzki R.-P., Palsa R., Pauldrach A.W.A., Puls J. 899

Barium-rich G stars in the nuclei of the planetary nebulae Abell 35 and LoTr 5
Thévenin F., Jasniewicz G. 913

Radiation hydrodynamics with many spectral lines. Analytical expressions for a differentially moving slab
Baschek B., Grüber C., von Waldenfels W., Wehrse R. 920

Diffuse matter in space (including H II regions and planetary nebulae)

High resolution studies of protostellar condensations in NGC 2024
Wiesemeyer H., Güsten R., Wink J.E., Yorke H.W. 287

Star formation in the S 235 A–B complex
Felli M., Testi L., Valdettaro R., Wang J.-J. 594

Interstellar CH^+ in southern OB associations
Gredel R. 929

Loop modeling of coronal X-ray spectra. III. Fitting loop spectra with one- and two-component thermal models
Ciaravella A., Maggio A., Peres G. 945

A hot ring in the Sagittarius B2 molecular cloud
de Vicente P., Martín-Pintado J., Wilson T.L. 957

Molecular cloud/H II region interfaces in the star forming region NGC 6357
Massi F., Brand J., Felli M. 972

The Sun

Magnetic reconnection mechanism for Type II white-light flares
Li X.Q., Song M.T., Hu F.M., Fang C. 300

Direct excitation of resonant torsional Alfvén waves by footpoint motions
Ruderman M.S., Berghmans D., Goossens M., Poedts S. 305

Intergranular plumes and formation of network bright points
Roudier Th., Malherbe J.M., November L., Vigneau J., Coupinot G., Lafon M., Muller R. 605

Electron acceleration sites in a large-scale coronal structure
Klein K.-L., Aurass H., Soru-Escaut I., Kálmán B. 612

Yohkoh observations of flares with flat hard X-ray spectra
Fárník F., Hudson H., Watanabe T. 620

Fine structure of the X-ray and radio emissions of the quiet solar corona
Benz A.O., Krucker S., Acton L.W., Bastian T.S. 993

Bisectors and line-parameter variations over granular and intergranular regions in 2-D artificial granulation
Gadun A.S., Hanslmeier A., Pikalov K.N. 1001

The solar system

Simulation of collisions in planetary rings
Hertzsch J.-M., Scholl H., Spahn F., Katzorke I. 319

A stream search among 502 TV meteor orbits. An objective approach
Jopek T.J., Froeschlé Cl. 631

An optimized detection technique for faint moving objects on a star-rich background. A search for the nucleus of comet 46 P/Wirtanen
Boehnhardt H., Babion J., West R.M. 642

The Bordeaux meridian observations of asteroids. First determination of the mass of (11) Parthenope
Viateau B., Rapaport M. 652

Spectra of energized pick-up ions upstream of the two-dimensional heliospheric termination shock. II. Acceleration by Alfvénic and by large-scale solar wind turbulences
Chalov S.V., Fahr H.J., Izmodenov V. 659

Chaotic diffusion in the 2/1 asteroidal resonance. An application of the frequency map analysis
Nesvorný D., Ferraz-Mello S. 672

Physical and chemical processes

Intermediate teeth in pulsed jets: a motivation for high-resolution observations
Smith M.D., Suttner G., Zinnecker H. 325

UV and soft X-ray lines from Fe XVI observed in solar and stellar spectra
Cornille M., Dubau J., Mason H.E., Blancard C., Brown W.A. 333

An analytic study of Bondi–Hoyle–Lyttleton accretion. I. Stationary flows
Foglizzo T., Ruffert M. 342

Preview of accepted papers (March 1997) 1013

Abstracts of articles which have been published in A&A Supplement Series 122, No. 1 1016

CCD photometry of variable stars in the field of the globular cluster NGC 6397
Kaluzny J. 1016

Multicolour deep CCD photometric study of the moderately young southern open star clusters NGC 3228, NGC 4103, NGC 5662 and NGC 6087
Sagar R., Cannon R.D. 1016

An abundance analysis of the single-lined spectroscopic binaries with barium stars-like orbital elements. I. Analysis and results
Začs L., Musaev F.A., Bikmaev I.F., Alksnis O. 1016

Monitoring MWC 560 ≡ V 694 Monocerotis in 1990–1995. II. Plate spectra
Tomov T., Kolev D. 1017

A calibration of Geneva photometry for B to G stars in terms of $T_{\rm eff}$, log g and [M/H]
Künzli M., North P., Kurucz R.L., Nicolet B. 1017

The ATCA/VLA OH 1612 MHz survey. I. Observations of the Galactic bulge region
Sevenster M.N., Chapman J.M., Habing H.J., Killeen N.E.B., Lindqvist M. 1017

Optical polarimetry, high-resolution spectroscopy and IR analysis of the Chamaeleon I dark cloud
Covino E., Palazzi E., Penprase B.E., Schwarz H.E., Terranegra L. 1017

Stellar contents of the open clusters Be 64 and Be 69
Pandey A.K., Durgapal A.K., Bhatt B.C., Mohan V., Mahra H.S. 1018

TT Arietis: Photometric variability from 1985 to 1994
Kraicheva Z., Stanishev V., Iliev L., Antov A., Genkov V. 1018

Spectroscopic survey of δ Scuti stars. I. Rotation velocities and effective temperatures
Solano E., Fernley J. 1018

Theoretical polarization profiles of optically-thick hydrogen lines from slabs in the presence of electric and magnetic fields
Casini R., Landi Degl'Innocenti E. 1019

Absolute transition probabilities for the $a^6D \rightarrow y^6P^\circ$ multiplet (#8) of FE II
Mullman K.L., Sakai M., Lawler J.E. 1019

Stark broadening of Ba I and Ba II spectral lines
Dimitrijević M.S., Sahal-Bréchot S. 1019

Atomic data from the Iron Project. XX. Photoionization cross sections and oscillator strengths for Fe I
Bautista M.A. 1019

Atomic data from the IRON Project. XXI. Electron excitation of fine-structure transitions involving the $3d^64s^2\ ^5D$ ground state and the $3d^74s\ ^5F$ metastable state of Fe I
Pelan J., Berrington K.A. 1019

A spatial and spectral maximum entropy methods as applied to OVRO solar data
Komm R.W., Hurford G.J., Gary D.E. 1020

An algorithm to "clean" close stellar companions
Markov H., Valtchev T., Borissova J., Golev V. 1020